

Addendum to Return to Play Protocol for Young Children Participating in Young Athletes

The following resource provides additional guidance for Special Olympics Programs, teachers and coaches implementing Young Athletes activities. This does not replace <u>Special Olympics Wisconsin</u> <u>Return to Play Protocol</u>; rather, it should complement the protocol to provide additional support and considerations to mitigate risk and ensure the health and safety of our youngest participants.

Impact of COVID-19 on Children

Information on COVID-19 is changing daily and transmission rates vary across the countries in which Special Olympics Programs operate. While data on the impact of COVID-19 on children is generally positive, showing lower transmission rates and less severe symptoms, there is limited data about the impact of COVID-19 on children with intellectual disabilities. As such, it is **critical to proceed with extreme caution to ensure the health and safety of children, coaches and families** and align with guidance from local and national governments, school districts, and health agencies.

The information below details the current research findings on the impact of COVID-19 on children:

Transmission and Symptoms

- As of March 2020, studies suggest that children (aged 0 19 years) account for 1 5% of COVID-19 cases.ⁱ
- Incubation period for COVID-19 in children is usually 2 days, with a range of 2-10 days.ⁱ
- COVID-19 appears to be mainly transmitted from adults to children. In a study of 54 Dutch families, there were no families in which a child under 12 years was the first patient in the family." Similar findings were seen in Iceland with no cases of transmission from children to parents.^{III}
- Older children may be more likely to spread COVID-19 than younger children. In a contact tracing study in South Korea, in homes where the first person infected was ages 10 to 19, about 19% of their household got COVID-19. In contrast, only 5.3% of the household contacts of younger children aged 0 to 9 were known to be infected.[™]
- Children have been found to experience COVID-19 symptoms in a milder manner, as compared to adults. The most common symptoms in children are fever and cough; however, fewer children have developed severe pneumonia.ⁱ
- In China, as of March 2020, more than 90% of the children diagnosed with COVID-19 were asymptomatic or had mild to moderate symptoms.^v
- Children with at least one underlying medical condition (e.g., obesity, asthma and neurological conditions) are more likely to be hospitalized.^{vi}
- Several cases of Multisystem Inflammatory Syndrome in Children (MIS-C) have been reported since April. In such cases, previously healthy children began presenting with a severe inflammatory syndrome with Kawasaki disease-like features and test positive for COVID-19. This causes an inflammation in the walls of blood vessels.^{vii viii ix}



- Symptoms include: persistent fever, abdominal pain, diarrhea or vomiting, neck pain, rash or changes in skin color, bloodshot eyes, exhaustion, trouble breathing, pressure in the chest, becoming confused, unable to wake up or stay awake, or bluish lips or face.
- Kawasaki disease mainly affects children under 5 years of age. It is still unclear what causes MIS-C and what risk factors lead to a child developing MIS-C with COVID-19.

Children with Intellectual Disabilities (ID)

- Children with intellectual disabilities may have co-occurring conditions that may place them at greater risk for having a more severe disease profile, if they do contract COVID-19.^x
- A preliminary study of 30,282 patients who met COVID-19 criteria included 474 patients with IDD. 26.4% of those with IDD were children, aged 0-17 years, versus only 2.7% of those without IDD. In the 125 children with IDD with COVID-19, there were 2 fatalities (1.6%), compared to 1 fatality (<0.1%) amongst the 791 children without IDD with COVID-19.[×]

Additional Considerations

- There may be lasting effects of psychological stressors associated with COVID-19 and quarantining at home, including prolonged duration, fears of infection, frustration and boredom, lack of information, lack of in-person contact with friends and teachers, family financial loss, etc.^{xi}
- Previous research has found that posttraumatic stress scores were four times higher in children who had been quarantined than in those who were not quarantined.^{xii}

Young Athletes Recommendations for Return to Play

Special Olympics Wisconsin has adopted a four (4) phased approach to return to activities, outlined in the <u>Special Olympics Wisconsin Return to Play protocols</u> (updated July 24, 2020). This is the primary resource to guide return to activities, including Young Athletes activities. All guidance and considerations must be met before beginning in-person activities in each stage. **The recommendations outlined below can serve as supplemental guidance for implementing in-person activities for young children.** Special Olympics Programs should continue to use and offer <u>Young Athletes at Home</u> activities to engage high risk individuals, communities in Phase 0 and complement school activities, if schools are offering a mix of distance and in-person learning.

Physical Distancing

- Increase the size of the field, court or space being used for Young Athletes activities to ensure children can always remain 6 feet or 2 meters apart.
- When possible, use outdoor facilities to increase space and limit opportunity for transmission.
- Use tape, chalk, floor markers, hula hoops, cones or other Young Athletes equipment to help create a physical space for each individual child.



- Floor markers are regularly used in Young Athletes to help show children where they should stand. Using them to promote physical distancing will be familiar to many children.
- Make sure the space is big enough to allow children to move around during activities while still maintaining physical distance from others.
- Encourage children to wave, smile or use sign language to say hello instead of using hugs or highfives to greet each other during Young Athletes activities.





- Use different Young Athletes games and activities to help children understand physical distancing and redirect children when they get too close to one another.
 - Within each child's designated space, place a hoop or bucket approximately 6 feet or 2 meters away from the child and have them practice their underhand and overhand throwing with a ball or beanbag.
 - Use the game "Red Light, Green Light" to stop children when they are getting too close to someone else.
 - Red Light, Green Light is typically played with children lined up at one end of a field or court. When the coach says, "green light," children can start walking or running towards the other end of the field. When the coach says, "red light," the children must stop quickly. The coach alternates between "green light" and "red light" until all children are at the other end, changing up speed, duration and type of movement.



- Yelling "stop" can be scary or upsetting to children, which can cause unnecessary fear or stimulate an emergency. Using "red light" instead can keep things fun, while redirecting children away from others.
- It is important to practice this activity often, so children know how to respond when they hear "red light."
- For community-based Young Athletes activities, have parents or caregivers serve as Young Athletes volunteers, instead of external individuals. Many children require direct or hand-overhand support to ensure safety while participating in Young Athletes activities. Having parent or caregiver volunteers can support children with safely following the coach's instruction from a distance, while reducing exposure to additional individuals. They can also help to keep their child physically distant from others.
- Only one parent or caregiver per child should attend activities. Remember, size restrictions in Phase 1 and Phase 2 include all participants (coaches, parents and children), so a practice in Phase 1 with ≤ 10 participants could include 1 coach, 4 children and 4 parents/caregivers.
- Given what we know about transmission of COVID-19, effort should be made to ensure all adults present maintain 6 feet or 2 meters from others not in their household.
- Stagger arrival and departure times so families are not entering the facility at the same time. Ensure that distance is maintained during the COVID screening upon arrival using <u>signage</u>, markers and visual aids.



<u>Face Masks</u>

- Children 5 years old and older should wear a cloth face mask when participating in in-person Young Athletes activities or events. *There are some situations, outlined below, where children may be unable to wear a mask. In these situations, families should delay participation in in-person Young Athletes activities until Phase 3, when face masks are no longer required.*
 - Wearing a face mask will cause the child to touch their face more than without a mask.
 - The child has trouble breathing.
 - The child is unable to remove their mask without assistance.
- If necessary, face masks may be removed once physical activities (that meet physical distance requirements) begin and replaced when they end. This will be most relevant if children are participating in high intensity activities, like running, where a face mask may cause difficulty breathing.
- Talk to parents and caregivers in advance of Young Athletes activities about helping children develop a sensitivity and tolerance to wearing a cloth face mask. In most cases, resistance to wearing a mask is based on fear or discomfort. Consider sharing the suggestions below:
 - Put a cloth face mask on your child's favorite stuffed animal or show your child pictures of other children wearing face masks.
 - Find or make a mask that features your child's favorite color, sports team or character. Or decorate your child's face mask so it is more personalized and fun.



- Encourage your child to pretend they are a doctor, nurse or superhero when wearing their mask. Make believe makes wearing a mask fun!
- For children with touch sensitivities, add buttons to a hat or headband and secure the face mask around the buttons, instead of on the ears.
- Practice wearing the face mask at home to help your child get used to wearing it.
- Give your child a clear way to ask for breaks from wearing their face masks. Consider using a hand signal, a new button on their communication device or creating a "break" card to indicate when they need to take the mask off.
- All adults present at Young Athletes activities (coaches, parents, caregivers, etc.) must wear a face mask from arrival through departure.
- When feasible, consider having coaches and/or parents wear face masks with a transparent central area. Seeing, and reacting to, facial emotions is a critical part of early development for children and can help support children in developing their own emotional competencies.

Young Athletes Activities

Young Athletes Equipment

- Phase 1 requires no indirect contact through shared equipment. Thus, in Phase 1 activities, coaches and Programs should have sufficient Young Athletes equipment to provide each child with their own station or set of equipment.

- All equipment should be sanitized before and after each session. Select equipment that can be easily wiped down. For example, a rubber or flyweight ball will be easier to clean than cloth beanbags or balls.

- If there is not enough equipment to provide each child with their own set, consider asking families to make their own equipment out of household materials and bringing the equipment with them to the Young Athletes activities. Or spend the first part of your session making equipment with children and families.
 - Empty soda bottles filled with water or beans can become cones, while newspaper rolled and wrapped with tape can become a bat or a ball.
 - More suggestions for building your own equipment kit can be found in the "<u>Build Your Own YA Kit at Home</u>" video tutorial.
- Alternatively, in Phase 1, coaches can focus on Young Athletes activities that can be done with no equipment (see table of activities below).
- In Phase 2, if equipment is shared between children, sanitize equipment after each individual use.

Young Athletes Activities

- For Phase 1, activities must limit direct contact. The activities below focus on individual skill development and can be completed individually or with support from a parent or guardian. Detailed descriptions of each activity can be found in the <u>Young Athletes Activity Guide</u> (page numbers listed below) or the <u>Young Athletes Family Flash Cards</u>.

No Equipment Activities		Limited Equipment Activities		Limited Equipment Activities (Need support from 2 nd person)	
Activity	Page #	Activity	Page #	Activity	Page #
Children's Songs	14	Musical Markers	16	Scarf Games	14
I Spy	15	Walk Tall	22	Rolling and Trapping	34
Animal Games	17	Run and Carry	23	Goalie Drill	34
Follow the Leader	22	Balance Beam	28	Big Ball Catch	35
Side Stepping	22	Step, Jump and Grab	29	Low Ball Catch	36
Sticky Arms	24	Jumping High	31	High Ball Catch	36
Heavy Feet, Light Feet	24	Bowling	40	Bounce Catch	37
Leaping Lizards	31	Target Practice	43	Two-Handed Underhand Toss	41
Galloping	58	Handball	46	One-Handed Underhand Toss	41
Skipping	58	Beginning Floorball	47	Two-Handed Overhand Throw	42
		Stationary Ball Kick	52	One-Handed Overhand Throw	42
		Penalty Kick	52	Ball Tap	46
		Three-Pin Bowling	54	Stand, Roll and Trap	59
		Cone Dribble	55	One-on-One	59
		Punting	58		
		Dribble	60		
		Dribble and Shoot	60		





Planning Young Athletes Sessions

- In Phase 1 and 2, ensure you have a COVID screening protocol in place for all participants (coaches, children and parents/family members), in alignment with <u>Special Olympics Wisconsin</u> <u>protocol</u> (see Appendix B).
- It is important to assess each child's skill level upon returning to Young Athletes activities and adjust accordingly. Given the extended time at home and away from school, therapies and peers, some children may have gone backwards in their skill development or behaviors. Regression is a very common reaction to stress and should not cause alarm to coaches or parents.
- Use a similar structure to your Young Athletes activities before COVID-19 to support children with familiarity and repetition: Warm up (10 minutes), Individual skill development (20 minutes), Cool down and closing song (10 minutes)
- Stretching, songs and warm-up activities can all be done as a group while maintaining physical distance. Focus on activities that allow for social interaction without direct contact.
 - For example, have children take turns being the leader in Follow the Leader. Focus on stationary activities and stretches that keep children in their own space but allow them to interact with others.
- Instead of group games, focus on individual skills. To decrease the amount of equipment needed for each session, consider focusing on one skill area during each Young Athletes session.
 - For example, focus your Young Athletes session on kicking skills and spend 5 minutes each on four activities: stationary ball kick, penalty kick, cone dribble and one-one-one. Activities can progress in difficulty to continue development.
- Coaches should station themselves in a location where all children call see as they demonstrate activities, for example, in the center of the circle.

Teaching Preventive Actions

- Before the session begins, remind parents about preventing the spread of COVID-19 in children:
 - Wash hands often using soap and water for 20 seconds. If soap and water are not available, use an alcohol-based hand sanitizer.
 - Avoid people who are sick and keep a 6-foot or 2-meter distance between your child and people outside your household.
 - Wear cloth face coverings when outside the home (*for all children above age 5 except in the specific situations outlined above when children may not be able to wear a mask*).
 - Clean and disinfecting "high touch" surfaces daily.
 - Wash laundry and plush toys regularly on the warmest setting advised and dry them fully.
- Have handwashing facilities or hand sanitizer available at the venue.
 - Supervise children when using hand sanitizer to monitor effective use and avoid potential ingestion or contact with eyes, nose or mouth. Alcohol-based hand sanitizer is toxic if ingested. Keep hand sanitizers out of children's reach and have an adult pump the hand sanitizer directly into a child's hands.
 - Teach children to rub their hands together immediately until the hand sanitizer is dry. For some children, a parent or caregiver may need to help rub their hands together.
- Have families bring their own snacks and water to Young Athletes activities.



- Post signage around your venue that reinforces handwashing with soap and water for at least 20 seconds. Use materials that cater to children and feature limited words, visuals or cartoons.
 - The US Center for Disease Control (CDC) offers a <u>variety of fun posters</u>, in multiple languages, to highlight the importance of handwashing.
- Use different Young Athletes games and activities to help children understand preventative actions they can take to stay healthy, like washing their hands or coughing into their elbow.
 - Using games and activities to reinforce health messaging is an important tool to ensure the messages come across in a positive and fun light. Sometimes talking about COVID-19 can cause children to be afraid of the virus, going outside their home and more. Play can reinforce positive messages without instilling fear or worry.
 - Use songs during warm up and cool down. For example, the song below, "Wash, Wash, Wash Your Hands," is sung to the tune of "Row, Row, Row Your Boat." Children can mimic the movements of washing their hands, eating, sleeping and playing.

Wash, wash, wash your hands Wash the dirt away Before you eat, before you sleep And after outdoor play.



- End the cool down with a story or book that helps children understand COVID-19. The examples below are online stories and can be printed to share with children or viewed through a tablet.
 - <u>#COVIBOOK</u> an illustrated storybook (available in 25 languages)
 - King COVID and the Kids Who Cared
- Share videos and books with families that can be used at home to help children understand the virus and things they can do to keep themselves and their families safe and healthy.
 - From Sesame Street: <u>Learn to Belly Breathe with Rosita</u>, <u>R is for Routine</u>, <u>Elmo's Morning</u> <u>Routine</u>, and <u>Wash Hands with Elmo</u>
 - From Daniel Tiger: <u>Germs, Germs Go Away</u> and <u>Handwashing</u> songs
 - Additional videos: <u>Time to Come In, Bear</u>, a children's story about social distancing and <u>We Wear Masks</u>, a social story about the coronavirus.

Additional Considerations for Schools

- Students should participate in Young Athletes with the same group of children that they are with throughout the day, to avoid increased interactions. If a school previously combined two classrooms to make Young Athletes activities inclusive, the classrooms should participate in Young Athletes separately and use technology to stay connected.
- Limit Young Athletes volunteers to teachers, assistants or aids that are already interacting with children throughout the day. Avoid introducing new adults during the Young Athletes activities.



- As students and staff return to school, many will return with high levels of stress, trauma or anxiety due to the COVID-19 pandemic and its effects. To ensure the best opportunity for success, it is important to prioritize the development of the whole child when schools return, with social and emotional development, as well as academic learning. The inclusion of socialemotional learning can help to create a supportive, safe and responsive learning environment that ensure students and adults can thrive when they return to school.
 - Trauma and stress for children may be coming from a lot of different places. They have been stuck at home and isolated from their friends. They may be afraid about getting sick. Their family may be experiencing financial hardship. Or they may know someone who has had or died from COVID-19. All of these fears and anxieties should be acknowledged and supported at home and as children return to school.
 - The <u>Young Athletes Educator Flash Cards</u> can support teachers in using Young Athletes skills as a base to develop social-emotional learning skills through play.

Questions

For general questions to SOWI, Regions may email covid@specialolympicswisconsin.org



All Return to Activities guidance and supplemental documentation is available on the <u>Special</u> <u>Olympics Wisconsin Resources for COVID-19 website.</u>



Appendix A: Special Olympics WI Phased Approach to Return to Play

Special Olympics WI has adopted a four (4) phased approach to return to activities. **It is important to note there may be times a community will revert to an earlier phase if and when the spread of infection rises in the future.**

Participation Risk Awareness and Acknowledgement

Prior to returning to any in-person Special Olympics activities in Phases 1 through 2, all participants are required to complete and return a *COVID-19 Participant Release Form* which provides information and guidance on assessing risk and acknowledges that participation could increase risk of contracting or spreading COVID-19.

If participants have tested positive and/or been diagnosed with COVID-19, the participant must provide written proof of clearance from their healthcare professional prior to returning to sport or fitness activities. Local Programs should ensure that all participants (e.g. athletes, unified partners, coaches, volunteers, staff, and families) are educated about all procedures and expectations for return to activities.

Phase 0	• Shelter in place required.					
	 All fitness, training and coaching is done virtually. 					
	Phase 1: Small Group Activities					
Phase 1	 Shelter in place is lifted. Restriction on size of mass gatherings (10 people). 					
	 Activities may resume if they adhere to strict physical distancing and sanitation protocols. 					
	 No direct or Indirect contact (e.g. through a ball in the hand) should take place. 					
	Training activities may include only be pre-approved SOWI COVID-19 Sports.					
Phase 2	Phase 2: Large Group Activities					
	 Size restrictions on gatherings increased to ≤50 people. 					
	 Activities may continue if they adhere to physical distancing and sanitation protocols. 					
	• Indirect contact (e.g. through a ball in the hand) MAY resume. No direct contact should occur in					
	sports.					
	• Training groups will continue with SOWI COVID-19 approved sports. Programs may request pre-					
	approval for other sport options.					
	 Small competition and games may occur regionally (with people traveling from the same 					
	geographic areas who are in same phase) as long as it is preapproved by Regional offices.					
	 SOWI may begin facilitating small size competitions and/or league play. 					
Phase 3	Phase 3: Limited Size Competition					
	 Size restrictions on gatherings will be increased for both training and competition. 					
	• SOWI will continue to monitor appropriateness of contact sport and announce if more sports					
	options will be allowed.					
	 SOWI will begin facilitating limited size competitions following local guidelines. 					
	Phase 4: Statewide Competitions					
Phase 4	No restrictions on size of mass gatherings.					
	• Large Competition and Games (with people traveling from multiple geographic areas who are in					
	same phase) MAY potentially occur, if permitted by WHO, country and local standards.					



Appendix B: Special Olympics WI Onsite Screening Protocol for COVID-19

Regular education must be provided to all athletes, staff, volunteers, coaches, families and caregivers reminding them stay home if they have a fever or any signs and symptoms (cough, shortness of breath, fatigue, muscle or body aches, headache, new loss of taste or smell, sore throat, congestion or runny nose, nausea or vomiting, diarrhea). Individuals must not participate in any activities if they are sick, for their own health and to reduce transmission of any infections to others. Instruct anyone who is ill to contact their own health provider for further evaluation.

However, in addition to this education, before or prior to entering an activity, practice, event, or gathering (in phases 1-3), for **all participants must undergo the following screening protocol**:

- 1. Create a Check-In Station adhering to physical distancing guidelines.
 - a. The screener will be responsible for self-monitoring before practice/activity.
 - b. The screener should wash their hands with soap and water for at least 20 seconds or use hand sanitizer with at least 60% alcohol. The screener must also wear a facemask.
 - c. Only one participant should check-in at the station at a time. Should a line form at the check-in station, those waiting should ensure they practice safe physical distancing of 6ft.
- 2. Ask each participant the following questions (reinforced through visuals and verbally, such as a paper with icons):
 - a. In the last 14 days, have you had contact with someone who has been sick with COVID-19?
 - b. Have you had a fever in the last week (temperature of 100.4°F or higher)?
 - c. Do you have a cough and/or difficulty breathing?
 - d. Do you have any other signs or symptoms of COVID-19 (fatigue, muscle or body aches, headache, new loss of taste or smell, sore throat, congestion or runny nose, nausea or vomiting, diarrhea)?
- 3. Should conduct onsite measurement of temperature using thermometer (preferred non-touch thermal scanning thermometer if possible).
 - Fever equals temperature of 100.4°F or higher.
 - If high, may re-test after 5 minutes to ensure temperature is accurate.
- 4. Record all names, results and contact information and keep in case needed for contact tracing or reporting (*Template available in supplemental materials*).
 - a. If yes to any questions, participants MUST be isolated from the group (at minimum, kept 2m/6ft apart from others and with mask on), be sent home, and instructed to contact their healthcare provider for evaluation.
 - b. Participants who are found to have COVID-19 symptoms must wait 7 days after symptoms resolve to return to activity OR must provide written proof of physician clearance to Special Olympics to return earlier.
 - c. Participants who test positive for/have COVID-19 must provide written medical clearance before returning to sport and fitness activities.



Appendix C: Citations

ⁱ Ludvigsson, J. F. (2020). Systematic review of COVID-10 in children shows milder cases and a better prognosis than adults. *Acta Paediatrica*, 109, 1088-1095.

ⁱⁱ Van der Hoek, W., Backer, J. A., Bodewes, R., et al. (2020). De rol van kinderen in de transmissie van SARS-CoV-2. *Nederlands Tijdschrift voor Geneeskunde*.

^{III} Science Museum Group. (17 April 2020). *Coronavirus: Hunting Down COVID-19*. Retrieved from: https://www.sciencemuseumgroup.org.uk/blog/hunting-down-covid-19/.

^w Park YJ, Choe YJ, Park O, Park SY, Kim YM, Kim J, et al. Contact tracing during coronavirus disease outbreak, South Korea, 2020. Emerg Infect Dis. 2020 Oct [cited 23 July 2020]. https://doi.org/10.3201/eid2610.201315.

^v Dong, Y., Mo, X., Hu, Y., et al. (2020) Epidemiological characteristics of 2143 pediatric patients with 2019 coronavirus disease in China. *Journal of Emerging Medicine*, 58, 712-713.

^{vi} CDC. (2020). *Information for pediatric healthcare providers*. Retrieved from: https://www.cdc.gov/coronavirus/2019-ncov/hcp/pediatric-hcp.html. Updated May 29, 2020.

^{vii} Riphagen, S., Gomez, X., Gonzalez-Martinez, C., Wilkinson, N., & Theocharis, P. (2020). Hyperinflammatory schock in children during COVID-19 pandemic. *The Lancet*, 395, 1607-1608.

^{viii} CDC. (2020). *For parents: multisystem inflammatory syndrome in children (MIS-C) associated with COVID-19.* Retrieved from: https://www.cdc.gov/coronavirus/2019-ncov/daily-life-coping/children/mis-c.html. Updated: May 20, 2020.

^{ix} Mayo Clinic. (2020). *Multisystem inflammatory syndrome in children (MIS-C) and COVID-19*. Retrieved from: https://www.mayoclinic.org/diseases-conditions/coronavirus/in-depth/mis-c-in-children-covid-19/art-20486809. Updated: June 12, 2020.

[×] Turk, M. A., Landes, S. D., Formica, M. K., & Goss, K. D. (2020). Intellectual and developmental disability and COVID-19 case-fatality trends: TriNetX analysis. *Disability and Health Journal*, 100942.

^{xi} Wang, G., Zhang, Y., Zhao, J., Zhang, J., & Jiang, F. (2020). Mitigate the effects of home confinement on children during the COVID-19 outbreak. *Lancet*, 395, 945-947.

^{xii} Sprang, G., & Silman, M. (2013). Posttraumatic stress disorder in parents and youth after healthrelated disasters. *Disaster Medicine and Public Health Preparedness*, 7, 105-110.